



AUDIOVECTOR

JUST LISTEN



SR SERIES

www.audiovector.com

Handmade in Denmark since 1979





FOR ALMOST 40 YEARS, WE HAVE DEVELOPED AND HANDCRAFTED OUR LOUDSPEAKERS IN DENMARK

AUDIOVECTOR IS A FAMILY OWNED COMPANY BASED IN COPENHAGEN, DENMARK

In 1979, Ole Klifoth founded Audiovector with a desire to make the perfect speaker for the global market. The vision for this new company was then as it is now, to produce high quality and natural sounding loudspeakers for music lovers around the world.

Mads Klifoth, CEO and owner has a great desire to honor the unique DNA and tradition of the company which was built by his father for so many years.

"We will always strive to reach the highest level of sound and build quality with special respect to our certified Audiovector concepts and design methods. A perfect design is much more than just looks and should be a result of much better sound quality." Mads Klifoth

MADS KLIFOTH
CEO & OWNER

OLE KLIFOTH
R&D MANAGER & FOUNDER







A tall, cylindrical floor-standing speaker with a vibrant red, glossy finish. The top section is black and features a circular tweeter at the top, followed by two larger circular drivers, and two smaller circular drivers at the bottom. The brand name 'AUDIOVECTOR' is visible on the black section. The speaker is positioned in a minimalist room with a blue wall on the left and a grey wall on the right. To the left of the speaker is a table with a stack of books and a white spherical lamp. To the right is a modern orange chair with a metal base. The floor is a light grey concrete.

Innen Stadt Außen



Avantgarde Arreté



Avantgarde



Signature

AUDIOVECTOR SR 6

A POWERFUL, SOPHISTICATED AND DETAILED LOUDSPEAKER FOR THE DEMANDING AUDIOPHILE

The SR 6 Series are dynamic, emotionally revealing and natural sounding high end speakers with great attention to detail. A rock steady and easy driven speaker. Taking its place at the top of the range, the SR 6 brings together impressive performance with luxury and refinement.

Technologies like; precision cut damping material, teardrop shaped cabinet, cryogenically treated internal cabling and in-house hand built tweeters makes this speaker line something special.



CARBON COMPOSITE SANDWICH

AVANTGARDE ULTRA TWEETER

EVOTECH TWEETER

LAMINATED FRONT AND REAR BAFFLES

SEC TREBLE SYSTEM

NON PARALLEL SURFACES

3 POINT RESONANCE FREE FIXING

DYNAMIC FEED FORWARD X-OVER

INTERNAL DECOMPRESSION DRIVER

NANOPORE DAMPING


DOWN FIRING SUB BASS

TITANIUM TECHNOLOGY

NO ENERGY STORAGE (NES)

NCS FREEZE TECHNOLOGY

Avantgarde Arreté
Avantgarde
Signature











Avantgarde Arreté



Avantgarde



Signature



Super

AUDIOVECTOR SR 3

THE PERFECT COMPACT AUDIOPHILE SPEAKER

The SR 3 Series is a compact speaker line we have spent many years developing.

All that we believe a pair of floor standing speakers should ever deliver, the SR 3 does to perfection. As for wife acceptance factor, the SR 3 series ranks high.

Patented in-house drivers made in Denmark by Scan-Speak, handcrafted Air Motion Transformers made with extreme precision and state of the art cabinet quality, makes these models potent performers. This range is the bestselling in the Audiovector portfolio.


THIS SERIES ARE AVAILABLE AS ACTIVE DISCREET



	Avantgarde Arreté	Avantgarde	Signature	Super
CARBON COMPOSITE SANDWICH	●	●	●	●
3RD GEN. AVANTGARDE TWEETER	●	●	○	○
3RD GEN. EVOTECH TWEETER	○	○	●	○
3RD GEN. SILK TWEETER	○	○	○	●
SEC TREBLE SYSTEM	●	●	●	●
NON PARALLEL SURFACES	●	●	●	●
3-POINT FIXING	●	●	●	●
NO ENERGY STORAGE (NES)	●	●	●	○
NCS FREEZE TECHNOLOGY	●	○	○	○




AUDIOVECTOR



PETRA GILOY-HIRTZ JULIAN SCHNABEL POLAROIDS

PRESTEL





Avantgarde Arreté



Avantgarde



Signature



Super

AUDIOVECTOR SR 1

NO COMPRESSION, NO COMPROMISE

The SR 1 delivers a speedy response with great details and dynamics. The design makes handling of percussions and bass notes easy in a clean and natural way.

This two-way, rear-ported stand mount, uses a non-parallel tear drop design to minimize internal standing waves. The minimal amount of machine cut damping material and with similar concepts as bigger brothers, SR 6 & SR 3, the SR 1 delivers soundstage, nerve and punch much bigger than its actual size. These small wonders will leave the listener wanting for more.

THIS SERIES ARE AVAILABLE AS ACTIVE DISCREET

	Avantgarde Arreté	Avantgarde	Signature	Super
CARBON COMPOSITE SANDWICH	●	●	●	●
3RD GEN. AVANTGARDE TWEETER	●	●	○	○
3RD GEN. EVOTECH TWEETER	○	○	●	○
3RD GEN. SILK TWEETER	○	○	○	●
SEC TREBLE SYSTEM	●	●	●	●
NON PARALLEL SURFACES	●	●	●	●
3-POINT FIXING	●	●	●	●
NO ENERGY STORAGE (NES)	●	●	●	○
NCS FREEZE TECHNOLOGY	●	○	○	○





AUDIOVECTOR 







Avantgarde Arrêté



Avantgarde



Signature



Super

AUDIOVECTOR SR SUB

A MUSICAL EXPERIENCE WITH SPEED AND ATTACK

The SR Subwoofer gives your audio system immediate improvement. It helps open the midrange, almost as if the system is having to do less work.

Long stroke driver, rounded high quality cabinet, 400-watt amplifier & down firing passive radiator. What else do you need?

Our subwoofer delivers a fast, heavy duty & musical performance without stealing the attention from the loudspeakers. We recommend a subwoofer for both music and movies.

DOUBLE MAGNET

TRIPLE MAGNET


SUPERSTAND

ACOUSTIC RESISTANCE UNIT

DOWNFIRING PASSIVE RADIATOR

NON PARALLEL SURFACES

HIGH POWER AMPLIFIER





Avantgarde Arrêté



Avantgarde



Signature



Super

AUDIOVECTOR SR C

A CLEAN AND TRANSPARENT PERFORMANCE GIVES THE PERFECT BALANCE TO YOUR HOME CINEMA

Using the same principals and parts as we use in our bestselling SR 3 series, we don't have to say that this SR C delivers on point and is greatly needed in any home cinema system.

The Audiovector philosophy for optimum sound delivery is founded on synergy. To achieve the ultimate balance for your home entertainment system, each speaker must work in harmony and balance with each other.

Avantgarde Arrêté
Avantgarde
Signature
Super

CARBON COMPOSITE SANDWICH	●	●	●	●
3RD GEN. AVANTGARDE TWEETER	●	●	○	○
3RD GEN. EVOTECH TWEETER	○	○	●	○
3RD GEN. SILK TWEETER	○	○	○	●
NON PARALLEL SURFACES	●	●	●	●
3-POINT FIXING	●	●	●	●
NCS FREEZE TECHNOLOGY	●	○	○	○





Avantgarde Arreté

Avantgarde

Signature

Super

AUDIOVECTOR INWALL/ONWALL

A MINIMALISTIC AND CLEAN DESIGNED SPEAKER WITH A LOT TO OFFER

Our approach to Inwall and Onwall speaker designs are the same as all our SR products. The speakers deliver a beautiful open and filling sound, refusing to compromise with materials or attention to detail. The speakers are phenomenal for office space, home cinema solutions, property projects, restaurants, conference rooms, kitchens and much more.

Our Inwall speakers are delivered with a cabinet included.

This model is available as Active Discreet with wireless streaming and build-in amplifiers.

THIS SERIES IS AVAILABLE AS ACTIVE DISCREET



GLASS/CARBON FIBRE MEMBRANES

POLYPROPYLENE SANDWICH MEMBRANES

AUDIOVECTOR T 2008 SILK DOME

AUDIOVECTOR EVOTECH SILK DOME

AUDIOVECTOR AV. AMT TWEETER

DYNAMIC FEED FORWARD X-OVER

DCS CANCELLATION SYSTEM







SPECIFICATIONS	SR 6 AVANTGARDE ARRETÉ	SR 6 AVANTGARDE	SR 6 SIGNATURE	SR 3 AVANTGARDE ARRETÉ	SR 3 AVANTGARDE	SR 3 SIGNATURE	SR 3 SUPER	SR 1 AVANTGARDE ARRETÉ	SR 1 AVANTGARDE	SR 1 SIGNATURE	SR 1 SUPER
Avantgarde Tweeter	●	●		●	●			●	●		
3rd gen. Evotech Tweeter			●			●				●	
3rd gen. Silk Tweeter							●				●
SEC Treble System	●	●	●	●	●	●	●	●	●	●	●
Non Parallel Surfaces	●	●	●	●	●	●	●	●	●	●	●
2nd. Gen. DFF Cross-over	●	●	●	●	●	●	●	●	●	●	●
2nd. Gen. ARA Filter				●	●						
NES No Energy Storage	●	●	●	●	●	●	●	●	●	●	●
Internal Shock Absorbers	●			●				●			
NCS Freeze Technology	●			●				●			
Frequency Range -6 dB	24-52 kHz	27-52 kHz	29-26 kHz	24-52 kHz	26-52 kHz	27-27 kHz	29-23 kHz	39-52 kHz	41-52 kHz	43-27 kHz	45-23 kHz
Sensitivity (8 Ω)	92,5 dB	92,5 dB	92,5dB	91 .5 dB	91.5 dB	91.5 dB	91 dB	87.5 dB	87.5 dB	87.5 dB	87 dB
Amplifier Power											
Nominal Impedance	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω	8 Ω
X-over Frequencies	80/350/2800	80/350/2800	80/350/2800	300/2800	240/2900	210/3000	190/3100	2800	2900	3000	3100
Power Handling	450 W	450 W	450 W	350 W	300 W	275 W	250 W	200	180 W	160 W	140 W
Height/Width/Depth cm	125x24x36	125x24x36	125x24x36	103x19x33	103x19x33	103x19x33	103x19x31	37x19x28	37x19x28	37x19x28	37x19x26



INDIVIDUAL UPGRADE CONCEPT

technology gives you the option to upgrade your speakers whenever you want. You can upgrade to a higher level, you can go active, either the traditional way or by upgrading to full active Discreet level. This means that all Audiovector speakers are future proof.



LOW COMPRESSION CONCEPT

technology allows the membranes of the drivers to move freely under all kinds of demanding conditions. This means that your Audiovector speakers will stay faithful to whatever signal they are fed – no matter how loud and complicated the material.



SOUNDSTAGE ENHANCEMENT CONCEPT

allows you to choose where you want to be positioned when you listen. This technology means the soundstage stays intact, wherever you are positioned. The sound fills a room in an incredible manner, giving the listener a realistic “live sound” experience.



SR SUB AVANTGARDE ARRETÉ	SR SUB AVANTGARDE	SR SUB SIGNATURE	SR SUB SUPER	SR C AVANTGARDE ARRETÉ	SR C AVANTGARDE	SR C SIGNATURE	SR C SUPER	INWALL ONWALL ARRETÉ	INWALL ONWALL AVANTGARDE	INWALL ONWALL SIGNATURE	INWALL ONWALL SUPER
				●	●			●	●		
						●				●	
							●				●
				●	●	●	●				
				●	●	●	●	●	●	●	●
				●	●	●	●	●	●	●	●
				●	●	●	●				
				●	●	●					
●				●				●			
●				●				●			
17-180 Hz	19-180 Hz	21-180 Hz	23-180 kHz	43-52 kHz	45-52 kHz	47-27 kHz	49-23 kHz	50-52 kHz	54-52 kHz	54-26 kHz	58-22 kHz
				92 dB	92 dB	92 dB	91 dB	88 dB	88 dB	88 dB	87 dB
400 W	400 W	400 W	400 W								
				8 Ω	8Ω	8 Ω	8 Ω	5 Ω	5 Ω	5 Ω	4 Ω
variable	variable	variable	variable	2800	2900	3000	3100	800/3000	800/3000	800/3000	3000
800 W Peak	700 W Peak	500 W Peak	450 W Peak	240 W	300 W	275 W	250 W	200 W	180 W	150 W	120 W
39x37x35	39x37x35	39x37x33	39x37x34	20x53x28	20x53x28	20x53x28	20x53x26	43x23x8,9	43x23x8.9	43x23x8.9	43x23x8.9



NO ENERGY STORAGE

drive units sound best if they do not have to ‘carry’ the weight of the speaker cabinet to which they are fixed. This is a question of transient response. Inspired by the solutions from the Audiovector R 11 Arreté, we have managed to use the NES concept to achieve an even higher level of realism and open soundstage from our speakers.



ACTIVE DISCREET CONCEPT

a hi-end plug and play solution from Audiovector. Each speaker has built-in amplifiers with DSP based electronic cross-overs, power management and installation cables. Digital and analogue inputs for your wifi connection, CD/Media player, turntable etc. Features a built-in Bluetooth



NCS MOLECULAR REALIGNMENT

Natural Crystal Structure is one of the many invisible technological enhancements of our Avantgarde Arreté models. By freezing components down to -238° C, the copper molecules realign themselves to their natural positions and will therefore reduce resistance. The result is a clear and more detailed sound quality.



AUDIOVECTOR

JUST LISTEN



www.audiovector.com

Handmade in Denmark since 1979



Audiovector · Orient Plads 1, Mezzanine · DK-2150 Nordhavn · Denmark · mail@audiovector.com · Tel +45 3539 6060

© Audiovector is a registered trademark