

TRINITY



JORMA DESIGN

MADE IN SWEDEN



XLR

RCA



TRINITY

It's the successor to the original No.3 series, a Jorma Design classic for over a decade.

Moving forward with the Jorma philosophy, we've improved the original on all fronts. Using design principles from the award-winning Statement and Duality cables, Trinity has been given a technological boost.

The result is a natural, transparent and neutral sound in the same elegant cable design you expect from Jorma Design.

FEATURES

- Extra layer of insulation
- Tighter and more stable construction
- Separate + and – for better shielding
- Highest quality 99.999999% Copper



TECHNICAL SPECIFICATIONS

INTERCONNECT & LOUDSPEAKER CABLES

- Insulation material conductors
PTFE non coloured
- Conductor material
Copper with purity 99.999999%
- Conductor
Multi-threaded with ceramic fibre filler
- Crimping sleeves material
Polyolefin
- Shielding material
Tin-plated copper
- Jacket outer insulation
Halogen-free Polyurethane
- Braided sleeve
PET
- Connectors
Rhodium plated copper

UNBALANCED RCA INTERCONNECTS

- Conductors 1.0 mm²
2 pcs
- Shielding
4 mm², 94% effective on RFI and EMI

BALANCED XLR INTERCONNECTS

- Conductors 1.0 mm²
2 pcs (shield used as ground)
- Shielding
4 mm², 94% effective on RFI and EMI

SPEAKER CABLES (SINGLE WIRE)

- Conductors 1.0 mm²
2 pcs
- Shielding
4 mm², 94% effective on RFI and EMI

POWER CABLE

- Conductors 2.5 mm²
3 pcs
- Shielding
Iron
- Connectors
Gold plated copper